

L Number	Hits	Search Text	DB	Time stamp
3	1670	tag\$1 with transaction\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:04
4	69	(tag\$1 with transaction\$1) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:04
5	19	((tag\$1 with transaction\$1) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:16
6	11593	(type\$1 or kind\$1) near6 transaction\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:12
7	356	((type\$1 or kind\$1) near6 transaction\$1) with (bit or bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:36
8	17	((((type\$1 or kind\$1) near6 transaction\$1) with (bit or bits)) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:24
9	4	(((((type\$1 or kind\$1) near6 transaction\$1) with (bit or bits)) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:24
10	1758	(bit or bits) with (indicat\$7 or specif\$7 or identif\$7) with burst\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:19
11	35	((bit or bits) with (indicat\$7 or specif\$7 or identif\$7) with burst\$4) with transaction\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:16
12	19	((((bit or bits) with (indicat\$7 or specif\$7 or identif\$7) with burst\$4) with transaction\$1) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:16

13	19	(((bit or bits) with (indicat\$7 or specif\$7 or identif\$7) with burst\$4) with transaction\$1) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:19
14	133	(bit or bits) with transaction\$1 with burst\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:19
15	33	((bit or bits) with transaction\$1 with burst\$4) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:19
16	21	(((bit or bits) with transaction\$1 with burst\$4) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:38
17	2	(((bit or bits) with transaction\$1 with burst\$4) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)) not (((bit or bits) with (indicat\$7 or specif\$7 or identif\$7) with burst\$4) with transaction\$1) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:19
18	30	(((type\$1 or kind\$1) near6 transaction\$1) with (bit or bits)) same (first or primary) same second\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:24
19	21	(((type\$1 or kind\$1) near6 transaction\$1) with (bit or bits)) same (first or primary) same second\$3) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:33
20	9	"6333929"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:33
21	2	6333929.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:33
22	900	((type\$1 or kind\$1) near6 transaction\$1) same (bridge\$1 or ((first or primary) with second\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:37

23	409	((((type\$1 or kind\$1) near6 transaction\$1) same (bridge\$1 or ((first or primary) with second\$3))) and bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:37
24	3331	bridge\$1 with serial\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:38
25	55	((((type\$1 or kind\$1) near6 transaction\$1) same (bridge\$1 or ((first or primary) with second\$3))) and (bridge\$1 with serial\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:38
26	26	(((((type\$1 or kind\$1) near6 transaction\$1) same (bridge\$1 or ((first or primary) with second\$3))) and (bridge\$1 with serial\$2)) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:13
27	2	6070214.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:21
28	54	("3800097" "4413319" "4504927" "4787029" "4882702" "4954949" "4959833" "4961140" "5006981" "5038320" "5111423" "5191657" "5237690" "5274711" "5325491" "5335326" "5335329" "5430847" "5446869" "5457785" "5475818" "5483020" "5495569" "5497498" "5507002" "5517623" "5524252" "5530895" "5540597" "5542055" "5548730" "5555510" "5561806" "5572525" "5572688" "5579489" "5586265" "5590377" "5611053" "5655142" "5671421" "5694556" "5696911" "5696949" "5701483" "5724529" "5748921" "5764924" "5774681" "5793995" "5799207" "5809262" "5819053" "6003105").PN.	USPAT	2004/04/16 12:14
29	2	5764924.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:22
30	3	("4959833" "5001625" "5488705").PN.	USPAT	2004/04/16 12:21
31	81	5764924.URPN.	USPAT	2004/04/16 12:21
32	48	5764924.URPN. and 710/3???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:22

-	2	5764924.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:02
-	4	("6088752" "6070214").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:35
-	54	("3800097" "4413319" "4504927" "4787029" "4882702" "4954949" "4959833" "4961140" "5006981" "5038320" "5111423" "5191657" "5237690" "5274711" "5325491" "5335326" "5335329" "5430847" "5446869" "5457785" "5475818" "5483020" "5495569" "5497498" "5507002" "5517623" "5524252" "5530895" "5540597" "5542055" "5548730" "5555510" "5561806" "5572525" "5572688" "5579489" "5586265" "5590377" "5611053" "5655142" "5671421" "5694556" "5696911" "5696949" "5701483" "5724529" "5748921" "5764924" "5774681" "5793995" "5799207" "5809262" "5819053" "6003105").PN.	USPAT	2004/04/02 10:05
-	327641	(first or second) near6 (link\$1 or serial\$2 or path\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:36
-	353503	(first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:36
-	206259	((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with first with second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:37
-	214142	((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstream with downstream))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:49
-	2245	((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstream with downstream))) same bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:51
-	1642	((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstr am with downstream))) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @pt1d<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 10:53

-	70	((((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstream with downstream))) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @ptld<19980806 or @pd<19980806)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:37
-	0	((((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstream with downstream))) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @ptld<19980806 or @pd<19980806)) and 710.clas/	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:37
-	70	((((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstream with downstream))) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @ptld<19980806 or @pd<19980806)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:57
-	35	((((first or second or upstream or downstream) near6 (link\$1 or serial\$2 or path\$5)) with ((first with second) or (upstream with downstream))) same bridge\$1) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @ptld<19980806 or @pd<19980806)) and 710.clas.) and serial\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:03
-	2	5867676.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 10:41
-	2	6553445.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:56
-	376	bridge\$ with duplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:56
-	42	(bridge\$ with duplex\$3) same (buses or busses or bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:56
-	18	((bridge\$ with duplex\$3) same (buses or busses or bus)) and (@ad<19980806 or @rlad<19980806 or @prad<19980806 or @ptld<19980806 or @pd<19980806)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 11:04
-	6	("20020016875" "20030023795" "20030023803").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 13:27

-	4	("20030005106" "20030196022").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 13:27
-	10	("20020016875" "20030023795" "20030023803" "20030005106" "20030196022").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 13:28